

de Doelen

Eduard Flipse Zaal

09-2025

General Data:.....	3
De Doelen Address:	3
Technical Information and Inquiries:.....	3
Accessibility	3
The Building:	4
Backstage, Dressing Rooms and Soloist Room:.....	4
Green Room:	4
Smoking and Smoke/Fog Effects:.....	4
Electrical Power:	4
Loading Zone/Platform:.....	4
Elevators:	4
Mobile Elevating Platforms:.....	4
Eduard Flipse zaal.....	5
General:.....	5
Lighting:	6
Sound:.....	6
Electrical Power:	6
AV:.....	6

General Data:

De Doelen Address:

Public Entrance / Ticket Booth	: Schouwburgplein 50
Supply- / Artists Entrance	: Kruisstraat 2
Postal Code	: 3012 CT
City	: Rotterdam
General Telephone Number	: 010-2171700

Technical Information and Inquiries:

Planner Technical & Av: Nicky van Spronsen, Devin de Groot and Tommy Evers:
rooster.td@dedoelen.nl

In the absence of the planner Technical & Av, you can contact Remko van Es via
r.vanes@dedoelen.nl

Accessibility:

The artist entrance is located at Kruisstraat 2.

Due to limited parking space it is necessary to reserve parking spots in advance for the load in/out.
For long term parking there are several other parking options nearby.



The Building:

The Building consists of three (3) quarters. Respectively called the Willem Burger Quarter, The Jurriaanse Quarter and the Grote Zaal Quarter.

Backstage, Dressing Rooms and Soloist Room:

All rooms can be locked and are provided with security keycards

Lockers are present in all rooms.

Monitor capabilities are present in all rooms.

Green Room:

Breakfast, lunch and dinner is available but requires inquiry in advance.

Smoking and Smoke/Fog Effects:

De Doelen is a smoke free environment.

The use of smoke machines during performances is possible on request.

Internet/Wi-Fi:

In the whole Doelen complex there is free Wi-Fi available, accessible through SSID 'de Doelen'.

There are options on request, for a fee, to have a dedicated Wi-Fi Access point for each event.

Electrical Power:

There are several high voltage power connections available throughout the facility.

Loading Zone/Platform:

The loading zone is located at Kruisstraat 2 or Kruisstraat 4. If you need to use one of the loading zones, please indicate this in advance.

Elevators:

	Height	Width	Depth	Door Width	Door Height	Weight	Persons	Floors						
								B	GF	1	2	3	4	5
Reception Elevator	2,1	1,8	2,8	1,8	2,1	2000kg	n/a	x	x	x	x			
Royal Elevator	2,2	1,5	1,2	1	2,1	480kg	6		x	x	x	x		
Expedition Elevator KS4	2,24	2,8	3	2	2,05	5275kg	16	x	x					
Double Elevator BIG	2,1	1,6	3	1,7	2,1	2900kg	38	x	x	x		x	x	
Double Elevator SMALL	2,1	1	2,15	0,9	2,1	1250kg	16		x	x		x	x	
Service Elevator WBH	2,1	1,2	2,6	1,3	2,1	1250kg	16	x	x	x	x	x	x	x
Elevator EFZ	2	1,5	1,15	1	2	850kg	11		x	x	x			

Sizes in Meters.

Mobile Elevating Platforms:

There are 3 mobile elevating platforms to use. These don't go on stage of the Jurriaanse zaal en Grote zaal.

Eduard Flipse zaal

General:

Elevators:

Reception (goods)
Royal Elevator (persons)
EFZ Elevator (persons)

FOH:

On the top row of the bleacher or
in consultation at another place.

Backstage in the EFZ:

No

Smoke Alarm:

YES (Hazer smoke doesn't trip the alarm)

Stage floor:

Wood

Truss grid dimensions:

4m (d) x 7,5 (w) x 4,8m (h)

Front truss:

8m wide

Ballet floor:

Available on request (black)

Curtain:

Black curtain on rail available over brick wall

Technical crew:

The technical crew has the right to take a lunch and/or diner breaks during their respective moments of the day. The maximum amount of hours a technician is allowed to work is 12 hours. If the length of the event is larger than that (including build up and break down), extra work shifts will be scheduled.

Lighting:

Location booth:	Only a FOH on the bleachers
Light Console:	GrandMA 3 Compact
Hall lighting on DMX:	No (there are light bulbs above the bleacher for hall lighting which are on DMX)
Control-protocol:	The light installation is controlled via DMX. One universe is in use for the fixed installation and more universes are possible with our console!
Patchlist and lightplot:	On request.
Light fixtures permanent body:	2x Eurolite Blinder 2x PAR 8x QueLed QR 530 RGBWA (back) 6x Elation Fuze PFX (Back in the grid) 10x ADB 1KW PC (2 front, 8 around the grid) 6x ADB 1KW Fresnel (top front) 6x Elation Fuze Profile (front)

Sound:

Main system:	L+R D&B Y7P and center D&B Y10P
Subs	L+R D&B 27S
Fronfills	L+R D&B E8
Input:	Analog or AES/EBU
Monitors:	8x D&B M6
Mixers:	Allen & Heath SQ6 with GX4816 Mixrack

Electrical Power:

Back wall:	1x 16A
-------------------	--------

AV:

Projection screen	Size 5m x 3m (W x H; maximum) aspect ratio 16:9
Projector:	Panasonic PT-EW730 WXGA 7000 Lumen